

# EcoRight Lime Putty & Fat Lime Mortars, Renders & Plasters

## SAFETY DATA SHEET

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER:

Substance name: EcoRight Lime Putty. Aqueous suspension of Calcium Hydroxide

CAS: 1305-62-0 (calcium hydroxide)

EINECS: 215-137-3 (calcium hydroxide)

REACH registration number: 01-2119475151-45-0019 (calcium hydroxide)

#### 1.2 COMPOSITION OF INGREDIENTS

Compose: An aqueous suspension of Ca (OH)<sub>2</sub> calcium hydroxide when mixed with sand becomes a binder for building applications (mortars, render & plaster)

#### 1.3 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Intended Use: Mortar for stonemasonry, flint and blockwork, brickwork, plastering & render.

Uses advised against: None given.

Reason why uses advised against: None given.

#### 1.4 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Supplier:

EcoRight Limited

Unit 2 Paddock Road Industrial Estate

Caversham

Reading

Berkshire

RG4 5BY

Telephone number: 0845 873 3888

Fax Number: 01189 946 9176

Email: [info@ecoright.co.uk](mailto:info@ecoright.co.uk)

#### 1.4 EMERGENCY TELEPHONE NUMBER (NOT 24hrs)

Only available during office hours (English speaking): 0845 873 3888

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of *The Building Limes Forum*, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.

Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk), [www.ecoright.co.uk](http://www.ecoright.co.uk)

## SECTION 2 HAZARDS IDENTIFICATION


### 2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE

- 2.1.1 Classification according to Regulation (EC) No 1272/2008  
 Skin Irritant (Hazard Category 2) H315  
 Serious Eye Damage (Hazard Category 1) H318
- 2.1.2 Classification according to EU Directive 67/548/EEC / 1999/45/EEC  
 Xi – irritant: R37, R38, R41
- 2.1.3 Additional Information  
 For full text of R-phrases and Hazard statements: see **SECTION 16**

### 2.2. LABEL ELEMENTS

Label elements according to Regulation (EC) No 1272/2008

Hazard Pictograms: GHS05



Signal Word: **Danger**

**Irritant**

#### **Hazard Statements:**

H318: Causes serious eye damage.

H315: Causes skin irritation.

H335: May cause respiratory irritation

#### **Precautionary Statements:**

P102: Keep out of reach of children

P260 + P261: Do not breathe dust or spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention

P501: Dispose of material in accordance with local, regional and national regulation. Use a registered hazardous waste carrier.

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
 Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of **The Building Limes Forum**, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.

Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)

### 2.3 OTHER HAZARDS

Generates slight heat in the presence of water. No other hazards identified

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 SUBSTANCES

Not Applicable. This product is regulated as a mixture.

### 3.2 MIXTURES

#### Hazardous ingredients:

Name	CAS No	EC No	REACH Registration No.	% (weight)	Classification according to 67/548/EEC	Classification according to Regulation (EC) No 1278/2008 (CLP)
Calcium Hydroxide	1305-62-0	215-137-3	01-2119475151-45-0019	90%	Xi; R37/38; R41.	Skin Irrit Cat 2 (H315) Eye Damage Cat 1 (H318) STOT SE (Inh) Cat 3 (H335)

Please see section 16 for full hazard statements

## SECTION 4 FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

#### GENERAL NOTES

Take off all contaminated clothing immediately.

#### INHALATION

Move exposed person to fresh air, and move source of dust where possible. Get medical attention if symptoms occur.

#### SKIN CONTACT

May cause a mild burning sensation in the presence of moisture. Carefully and gently brush the contaminated area to remove traces of product. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.

Get medical attention if symptoms occur.

#### EYE CONTACT

Immediately flush the contaminated eye(s) with lukewarm, flowing water for at least 15 minutes, while holding the eyelid(s) open. If contact lenses present, DO NOT delay irrigation to remove the lens, only remove if easy to do.

Immediately obtain medical advice.

#### INGESTION

Wash out mouth with water and drink plenty of water afterwards. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. If vomiting occurs naturally, have victim rinse mouth with water again. Seek medical attention.

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of **The Building Limes Forum**, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.

Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

**Acute:** Local pH effects are the major health hazard.

**Delayed:** Prolonged or repeat contact with skin may result in irritation of dermatitis. Prolonged or repeated inhalation of high dust concentrations may cause ulceration and perforation of nasal septum and pneumonitis.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Follow guidance as per 4.1

### SECTION 5 FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA – The product is not combustible

Suitable Extinguishing Media: Use carbon dioxide (CO<sub>2</sub>), foam or dry chemical to extinguish surrounding fire.

Unsuitable Extinguishing Media: Do not use water.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

No specific hazards.

Hazardous Combustion Products: None detailed.

#### 5.3 ADVICE FOR FIRE FIGHTERS

Fire Fighting Instructions:

Avoid generation of dust. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Flammability Properties:

Non-combustible product which inhibits the spread of the flame.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 For non-emergency personnel

Protective equipment: Avoid contact with eyes and protect against inhalation of dust and contact with skin. Use eye protection, gloves and suitable respirator protective equipment.

Emergency procedure: Contain the spillage. Keep material dry and vacuum, shovel or if wet pump waste into a drum and label contents for disposal. Cover area if possible to avoid unnecessary dust production.

6.1.2 For emergency responders

Avoid contact with eyes and protect against inhalation of dust and contact with skin. Use eye protection, gloves and suitable respirator protective equipment.

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of **The Building Limes Forum**, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.

Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)

## 6.2 ENVIRONMENTAL PRECAUTIONS

Contain any spillage, avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Contain the spillage. Keep material dry and vacuum, shovel or if wet pump waste into a drum and label contents for disposal. Cover area if possible to avoid unnecessary dust production.

## 6.4 REFERENCE TO OTHER SECTIONS

See Sections 8 and 13.

# SECTION 7 HANDLING AND STORAGE

## 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Avoid breathing dust. Handle in accordance with good industrial hygiene and safety practice. Wash hands and exposed skin immediately after handling.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store in cool, dry conditions. Minimise contact with air or moisture. Keep away from acids.

## 7.3 SPECIFIC END USES:

None detailed.

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 CONTROL PARAMETERS

### 8.1.1 Occupational Exposure Limit Values

Read across for calcium hydroxide as a guideline (comparative pH).

Substance	CAS No	Workplace exposure limit
		Long-term exposure limit (8-hr TWA reference period)
Calcium hydroxide	21351-79-1	5 mg.m <sup>-3</sup>

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL): No data available.

Predicted No Effect Concentration (PNEC): No data available.

## 8.2 EXPOSURE CONTROLS

### 8.2.1 Appropriate engineering controls

Ensure adequate ventilation in work area. Minimise dust generation.

### 8.2.2 Individual protection measures, such as personal protective equipment

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of **The Building Limes Forum**, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.

Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)

In case of insufficient ventilation wear suitable respiratory equipment. Guidance on suitable respiratory protective equipment and eye protection is provided in HSE Booklet HS(G)53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide". At least dust masks which comply with EN 149 which filter at least 94% of airborne particles (FFP2) should be used. Gloves are highly recommended, as is eye protection (goggles or visors). Check with glove manufacturer for specific advice. Wash hands after handling material and before eating, drinking, and/or smoking. Routinely wash work clothing.

#### 8.2.3 Environmental exposure controls

Avoid releasing to the environment.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- |                      |   |
|----------------------|---|
| (a) Physical State:  | White/ beige aqueous solution.                                  |
| (b) Odour:           | Faint, earthy odour   |
| (c) Odour Threshold: | No data available   |
| (d) pH:              | 12.4 (saturated solution at 20°C (aqueous solution of 2g/litre) |

### 9.2 OTHER INFORMATION

Low chromate content according to TRGS 613.

## SECTION 10 STABILITY AND REACTIVITY

- |   |  |
|---|--|
| <b>10.1 REACTIVITY:</b>                         | Stable under ambient storage conditions              |
| <b>10.2 CHEMICAL STABILITY:</b>                 | Product is stable under normal conditions.           |
| <b>10.3 POSSIBILITY OF HAZARDOUS REACTIONS:</b> | No dangerous reactions known during recommended use. |
| <b>10.4 CONDITIONS TO AVOID:</b>                | None known.  |
| <b>10.5 INCOMPATIBLE MATERIALS:</b>             | Acids.   |
| <b>10.6 HAZARDOUS DECOMPOSITION PRODUCTS:</b>   | None known.  |

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of *The Building Limes Forum*, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.  
Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS (Read-across data from similar material Calcium hydroxide)

Acute toxicity:

Oral toxicity:

Method	Not detailed
Read Across substance	Yes, Calcium hydroxide
Species	Rat
Routes of exposure	Oral: gavage
Endpoint	LD50
Effective Dose	7300 mg/kg bw
Exposure time	Not detailed

Inhalation toxicity:

No data available.

Dermal toxicity:

No data available.

Serious eye damage/ irritation:

Method	Not detailed
Read Across substance	Yes, Calcium hydroxide
Species	Rabbit
Routes of exposure	Eye
Dose	Neat
Result	Serious eye damage
Exposure time	1 minute

Respiratory or skin sensitisation:

No data available.

Germ cell mutagenicity:

Method	D824 human dental pulp cells
Read Across substance	Yes, Calcium hydroxide
Species	human dental pulp cells
Dose	30, 100, 300 µM
Genotoxicity Result	Negative

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Summary of evaluation of the CMR properties:

Not considered to be a carcinogenic, mutagenic, or reproductive toxicant.

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of **The Building Limes Forum**, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.  
Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)

<u>STOT-single exposure:</u>	Irritating to the respiratory tract.
<u>STOT-repeated exposure:</u>	No data available
<u>Aspiration hazard:</u>	No data available.
<u>Other information:</u>	No data available.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1. TOXICITY

Aquatic toxicity is a function of the alkalinity effect.

### 12.2 PERSISTENCE AND DEGRADABILITY

<u>Abiotic Degradation:</u>	No data available
<u>Physical- and photo-chemical elimination:</u>	Calcium hydroxide does not degrade by photo-oxidation
<u>Biodegradation:</u>	Not biodegradable

### 12.3 BIOACCUMULATIVE POTENTIAL

Calcium hydroxide shows no bioaccumulation effect.

### 12.4 MOBILITY IN SOIL

Known or predicted distribution to environmental compartments: Low mobility in moist ground conditions.

<u>Surface tension:</u>	No data available
<u>Adsorption/ Desorption:</u>	No data available

### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT

This product does not contain any PBT or vPvB substances

### 12.6 OTHER ADVERSE EFFECTS

No adverse effects are expected.

### 12.7 ADDITIONAL INFORMATION

N/A

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14 TRANSPORT INFORMATION

**14.1 – 14.6** This product is not regulated for carriage according to ADR/RID/ADN, IMDG, ICAO-TI/IATA-DGR

**14.7** Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code - Not regulated

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of **The Building Limes Forum**, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.  
Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)



## SECTION 15 REGULATORY INFORMATION

### 15.2 Safety, health and environmental regulations/legislation specific for the substance or mixture

This substance is classified and labelled under European Regulation (EC) No 1272/2008 The CLP Regulations. Classification under Chemicals (Hazard Information & Packaging for supply) Regulations – CHIP 4 (2009) is also provided (includes both EU Directive 67/548/EEC Dangerous Substances Directive (DSD) and 1999/45/EC Dangerous Preparations Directive (DPD)).

### 15.2 CHEMICAL SAFETY ASSESSMENT

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16 OTHER INFORMATION

### List of abbreviations and acronyms:

µM	Micromolar
ADN	European provisions concerning the international carriage of dangerous goods by inland waterways
ADNR	European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road
bw	body weight
CAS	Chemical Abstracts Service
CHIP	Chemical (Hazard Information and Packaging) Regulations
CLP	Classification Packaging and Labelling
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
DPD	Dangerous Preparations Directive
DSD	Dangerous Substances Directive
EC	European Commission/ Communities
EEC	European Economic Community
EU	European Union
g	grams
hr	hour
HSE	Health and Safety Executive
IATA	International Air Transport Association
IBC	International bulk container
IMDG	International Maritime Dangerous Goods Code
kg	kilogram
l	litre
LD	Lethal Dose
m <sup>3</sup>	cubic metre
mg	milligram
ml	millilitre
mm	millimetre

Registered Address: Unit 2 Paddock Road Industrial Estate, Caversham, Reading, Berkshire, RG4 5BY  
Tel: 01189 469 153 (head office) +44 (0)845 873 3888 (orders) 01189 946 9176 (fax). Company Reg no: 6561874.

EcoRight Ltd is a member of *The Building Limes Forum*, a charitable organisation which works Internationally to promote research and education and to encourage expertise and understanding in the use of building limes.

Email: [Info@ecoright.co.uk](mailto:Info@ecoright.co.uk) [www.ecoright.co.uk](http://www.ecoright.co.uk)

N/A	Not Applicable
PBT	Persistent, Bio accumulative and Toxic chemicals
REACH	Registration Evaluation and Authorisation of Chemicals
RID	Reglements Internationales Relatif au Transport des Marchandises Dangereuses par Chemin de Fer
STOT	Specific target organ toxicity
Tox	Toxicity
TRGS	Technical Rule 613 - substitutes, replacement and usage limits for chromate-containing cements and chromate-containing preparations
TWA	time-weighted average
vPvB	Very Persistent and Very Bio accumulative substances

#### **Hazard abbreviations, statements and phrases**

Xi	Hazard Irritant
R36/38	Irritating to eyes and skin
R41	Risk of serious damage to eyes
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

#### **References**

ECHA European Chemicals Agency, <http://echa.europa.eu/>

HSE Health and Safety Executive, <http://www.hse.gov.uk/>

TOXNET Databases on toxicology, hazardous chemicals, environmental health, and toxic release <http://toxnet.nlm.nih.gov/>

#### **Revisions**

Nov 2014: Updated throughout for REACH/ CLP Compliance

#### **Recommended uses and restrictions:**

The data and advice given apply when the product is sold for the stated application(s).

#### **Further information:**

Above information corresponds to present knowledge and experience and should only be used as a guide. It is not a guarantee that no errors or incomplete data may be contained. © EcoRight Limited 2015